


**AMENDMENT OF THE CLAIMS:**

1. (Currently amended) A compound of formula (I):



wherein:

$R^1$  represents is substituted or unsubstituted aryl;

$X$  represents is -O- or a bond;

$Y$  represents is  $-(CR_{na}R_{nb})_n-$ ;

$R_{na}$  and  $R_{nb}$  are each independently hydrogen or  $C_{1-6}$ alkyl;

$n$  is an integer from 1 to 5;

$R^2$  represents is unsubstituted or substituted aryl or unsubstituted or substituted heteroaryl;

$R^3$  represents is hydrogen or  $C_{1-6}$ alkyl;

$R^{10}$  represents is hydrogen or  $C_{1-6}$ alkyl;

and salts and solvates thereof;

with the proviso that the following compounds are excluded;

2-(4-chlorophenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-phenylacetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-phenoxyacetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-methoxyphenyl)acetamide;

2-(3-Chlorophenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-[4-(methylthio)-phenyl]acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-[4-(dimethylamino)-phenyl]acetamide compound with formic acid (1:1);

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-{4-[(dimethylamino)-sulfonyl]phenyl}acetamide compound with formic acid (1:1);

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-[4-(methylsulfonyl)-phenyl]acetamide compound with formic acid (1:1)

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(3-fluorophenyl)acetamide;

2-[3,5-bis(trifluoromethyl)phenyl]-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}-methyl}acetamide;

2-(2-chlorophenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-fluoro-2-methylphenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(3,4-difluorophenyl)-acetamide;

4-[2-({4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl)amino]-2-oxoethyl]-benzamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-[4-(trifluoromethyl)-phenyl]acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-methylphenyl)acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,4-dichlorophenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-fluorophenyl)acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(3,4-dichlorophenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,5-dichlorophenyl)-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,6-dichlorophenyl)-acetamide;

2-(4-chlorophenyl)-N-{{4-(2,3-dichlorobenzyl)morpholin-2-yl}methyl}-acetamide trifluoroacetate;

2-[3-(acetylamino)phenyl]-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-acetamide;

2-(4-acetylphenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide trifluoroacetate;

2-(4-acetylphenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(4-isobutyrylphenyl)acetamide trifluoroacetate;

methyl 4-[2-({4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl)amino]-2-oxoethyl]-

-benzoate trifluoroacetate;  
methyl 4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-  
-benzoate;  
2-(4-cyanophenyl)-N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide  
trifluoroacetate;  
2-(4-cyanophenyl)-N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;  
2-(4-chlorophenyl)-N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}propanamide;  
N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(3-fluoro-4-hydroxyphenyl)-  
-acetamide trifluoroacetate;  
N-{[(2R)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-  
-phenyl]acetamide;  
N-{[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-  
phenyl]acetamide;  
N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(4-methylpiperazin-  
-1-yl)carbonyl]phenyl}acetamide;  
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-  
-[2-(dimethylamino)ethyl]benzamide;  
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-  
-N,N-dimethylbenzamide;  
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-  
-ethylbenzamide;  
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-  
-(2-hydroxyethyl)benzamide;  
N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(morpholin-4-yl-  
-carbonyl)phenyl]acetamide;  
N-{[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(dimethylamino)-  
-sulfonyl]phenyl}acetamide;  
N-{[(2R)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(dimethylamino)-  
-sulfonyl]phenyl}acetamide;  
N-{[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(dimethylamino)-  
-sulfonyl]phenyl}acetamide;  
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-  
-methylbenzamide;  
4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-

-isopropylbenzamide;

N-cyclopropyl-4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]benzamide;

4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-(2-methoxyethyl)benzamide;

N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(4-nitrophenyl)acetamide;

N-{[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(3-nitrophenyl)acetamide;

methyl 3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-benzoate;

2-[3-(acetylamino)phenyl]-N-{[4-(3-fluorobenzyl)morpholin-2-yl]methyl}-acetamide;

N-{[4-(3-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-amino]phenyl}acetamide;

2-[3-(acetylamino)phenyl]-N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-acetamide;

N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-amino]phenyl}acetamide;

2-[4-(acetylamino)phenyl]-N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]-methyl}acetamide;

N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-2-{3-[(methylsulfonyl)-amino]phenyl}acetamide;

N-{[4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}-2-[3-(methylsulfonyl)-phenyl]acetamide;

N-{[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-phenyl]acetamide;

N-{[4-(3-chlorobenzyl)morpholin-2-yl]methyl}-2-[3-(methylsulfonyl)-phenyl]acetamide;

2-[3-(acetylamino)phenyl]-N-{[4-(4-fluorobenzyl)morpholin-2-yl]methyl}acetamide;

N-{[4-(4-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)amino]-phenyl}acetamide;

2-[4-(acetylamino)phenyl]-N-{[4-(4-fluorobenzyl)morpholin-2-yl]methyl}acetamide;

N-{[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-phenyl]acetamide;

2-[3-(acetylamino)phenyl]-N-{[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-

-acetamide;

N- {[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-  
-amino]phenyl}acetamide;

N- {[4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}-2-(4-{[(methylamino)-  
-carbonyl]amino}phenyl)acetamide;

N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-[4-(methylsulfonyl)-  
-phenyl]acetamide;

2-[3-(acetylamino)phenyl]-N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-  
-yl}methyl)acetamide;

N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-{4-[(methylsulfonyl)-  
-amino]phenyl}acetamide;

N-({4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-{3-[(methylsulfonyl)-  
-amino]phenyl}acetamide;

2-[3-(acetylamino)phenyl]-N-{{4-(3-chlorobenzyl)morpholin-2-yl}methyl}-  
-acetamide;

N-{{4-(3-chlorobenzyl)morpholin-2-yl}methyl}-2-{4-[(methylsulfonyl)-  
-amino]phenyl}acetamide;

2-[4-(acetylamino)phenyl]-N-{{4-(3-chlorobenzyl)morpholin-2-yl}methyl}-  
-acetamide;

N-{{4-(3-chlorobenzyl)morpholin-2-yl}methyl}-2-(4-{[(methylamino)carbonyl]-  
-amino}phenyl)acetamide;

2-[4-(acetylamino)phenyl]-N-{{4-(2,3-dichlorobenzyl)morpholin-2-yl]-  
-methyl}acetamide;

N-{{4-(2,3-dichlorobenzyl)morpholin-2-yl}methyl}-2-[3-(methylsulfonyl)-  
-phenyl]acetamide;

2-[4-(aminosulfonyl)phenyl]-N-{{4-(3,4-dichlorobenzyl)morpholin-2-  
-yl}methyl}acetamide;

2-[2-(acetylamino)phenyl]-N-{{4-(3,4-dichlorobenzyl)morpholin-2-  
-yl}methyl}acetamide;

2-(3-cyanophenyl)-N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2-fluorophenyl)acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,3-difluorophenyl)-  
-acetamide;

N-{{4-(3,4-dichlorobenzyl)morpholin-2-yl}methyl}-2-(2,4-difluorophenyl)-

-acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2,5-difluorophenyl)-  
-acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2,6-difluorophenyl)-  
-acetamide;

N-cyclopropyl-3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-  
-oxoethyl]benzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-(2-  
-methoxyethyl)benzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-  
-ethylbenzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N,N-  
dimethylbenzamide;

3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-N-[2-  
(dimethylamino)ethyl]benzamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(4-methylpiperazin-1-  
-yl)carbonyl]phenyl} acetamide;

2-(3-aminophenyl)-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} acetamide;

2-(4-aminophenyl)-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} acetamide;

2-[4-(acetylamino)phenyl]-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-  
-acetamide;

N- {4-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-  
-phenyl} 2-methylpropanamide;

N- {3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-  
-phenyl} 2-methylpropanamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(methylsulfonyl)-  
-amino]phenyl} acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-  
-amino]phenyl} acetamide;

N- {3-[2-({[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl} amino)-2-oxoethyl]-  
-phenyl}-2-(dimethylamino)acetamide;

2-{4-[bis(methylsulfonyl)amino]phenyl}-N- {[4-(3,4-dichlorobenzyl)morpholin-2-  
yl]methyl} acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[3-(methylsulfonyl)-

-phenyl]acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-[4-(methylsulfonyl)-2-nitrophenyl]acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-(2-hydroxyphenyl)acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[methyl(methylsulfonyl)-amino]phenyl}acetamide;

N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[methyl(methylsulfonyl)-amino]phenyl}acetamide;

2-[2-amino-4-(methylsulfonyl)phenyl]-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;

N- ({(2S)-4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-{3-[(methylsulfonyl)amino]phenyl}acetamide;

N- ({(2R)-4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl)-2-{3-[(methylsulfonyl)amino]phenyl}acetamide;

N- {[{(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylamino)-sulfonyl]phenyl}acetamide;

N- {[{(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{4-[(ethylamino)-sulfonyl]phenyl}acetamide;

2-[3-(aminosulfonyl)phenyl]-N- {[{(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;

2-{3-[(cyclopropylamino)sulfonyl]phenyl}-N- {[{(2S)-4-(3,4-dichlorobenzyl)-morpholin-2-yl]methyl}acetamide;

N- {[{(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(ethylamino)-sulfonyl]phenyl}acetamide;

N- {[{(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}-2-{3-[(methylamino)-sulfonyl]phenyl}acetamide;

N- {[{(2S)-4-(4-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-amino]phenyl}acetamide;

N- {[{(2R)-4-(4-fluorobenzyl)morpholin-2-yl]methyl}-2-{4-[(methylsulfonyl)-amino]phenyl}acetamide;

2-[4-(aminosulfonyl)phenyl]-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;

2-{4-[(cyclopropylamino)sulfonyl]phenyl}-N- {[4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}acetamide;



N-cyclopropyl-3-[2-({[(2S)-4-(2,3-dichlorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide;  
3-{2-({[(2S)-4-[(5-chlorothien-2-yl)methyl]morpholin-2-yl}methyl]amino)-2-oxoethyl}-N-cyclopropylbenzamide;  
N-cyclopropyl-3-[2-({[(2S)-4-(4-fluorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide;  
3-[2-({[(2S)-4-(3-chlorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]-N-cyclopropylbenzamide;  
N-cyclopropyl-3-[2-({[(2S)-4-(3,4-difluorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide, and;  
N-cyclopropyl-3-[2-({[(2S)-4-(3,4-dichlorobenzyl)morpholin-2-yl]methyl}amino)-2-oxoethyl]benzamide.

2. (Original) A compound of formula (I) according to claim 1 wherein R<sup>1</sup> is unsubstituted or substituted phenyl.

3. (Currently amended) A compound of formula (I) according to claim 1 or ~~claim 2~~ wherein R<sup>1</sup> is unsubstituted phenyl or phenyl substituted with 4-(methanesulphonyl), 4-(methylcarbonylamino), 2,4,6-(trifluoro), 3-(methylthio), 2,5-(difluoro), 4-(pyrazol-1-yl), 3-(methanesulphonyl), 3-(2-methyl-1,3,4-oxadiazol-5-yl), 3-(1,3,4-oxadiazol-5-yl), 3-(2-methyl-1,3,4-triazol-5-yl), 4-(ethylcarbonylamino), 4-(methylaminocarbonyl), 4-(carboxy), 3-(*iso*-propanesulphonylamino), 3-(cyclopropanesulphonylamino), 3-(ethanesulphonylamino), 4-(methylaminocarbonylamino), 4-methanesulphonyl-2-methanesulphonylamino), 4-(ethylaminocarbonyl), 3-(N,N-dimethylaminosulphonyl), 4-(methanesulphonylaminomethyl), 3-(methanesulphonylamino), 3-(cyclopropylcarbonyl), 3-(methylcarbonyl), 3-(methoxycarbonyl), 3-(aminosulphonyl), 4-(methanesulphonylamino), 3-(methylaminocarbonyl), 3-(dimethylaminocarbonyl), 3-(*iso*-propylaminocarbonyl), 3-(*iso*-propylmethylaminocarbonyl), 4-(fluoro), 3-(amino), 4-(methylcarbonylamino), 3-(cyclopropylaminocarbonyl), 3-(methylcarbonylamino), 3-(ethylaminocarbonyl), 4-(piperidin-1-ylcarbonyl), 3-(ethoxycarbonyl), 4-cyano, 4-(aminosulphonyl), 4-(amido), 4-(chloro), or 3-(carboxy).



4. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein  $R_{na}$  and  $R_{nb}$  are both hydrogen.
5. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein n is 1, 2, or 3.
6. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein  $R^{10}$  is hydrogen or methyl.
7. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein  $R^{10}$  is hydrogen.
8. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein  $R^3$  is hydrogen.
9. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein  $R^2$  is unsubstituted or substituted phenyl, unsubstituted or substituted thiophenyl, or unsubstituted or substituted pyridinyl.
10. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein  $R^2$  is phenyl substituted with chloro or fluoro, thiophenyl substituted with chloro, or pyridinyl.
11. (Currently amended) A compound of formula (I) according to ~~any one of the preceding claims~~ claim 1 wherein  $R^2$  is 3-fluorophenyl, 4-fluorophenyl, 2,5-dichlorophenyl, 3-chlorophenyl, 3-(trifluoromethyl)phenyl, 3-chlorophenyl, 3,4-dichlorophenyl, 3,4-difluorophenyl, 3-chloro-4-fluoro-phenyl, 2-chlorothiophen-5-yl, or pyridin-3-yl.
12. – 15. (Cancelled)
16. (Original) A process for the preparation of a compound of formula (I) as defined in claim 1 which process comprises the reaction of a compound of formula (II) with a compound of formula (III);




wherein;

$R^1$ , X, Y,  $R^3$ ,  $R^{10}$ , and  $R^2$  are as hereinbefore defined for formula (I) in claim 1, in the presence of a peptide coupling agent, and, if necessary, an activating agent and thereafter, if required, carrying out one or more of the following optional steps:

- (i) converting a compound of formula (I) to a further compound of formula (I);
- (ii) removing any necessary protecting group;
- (iii) preparing a salt or solvate of the compound so formed.


17. (Original) A process for the preparation of a compound of formula (I) which process comprises reaction of a compound of formula (XI) with a compound of formula (III);



wherein  $L^2$  is a leaving group, and  $R^1$ , X, and Y are as hereinbefore defined for formula (I) in claim 1, and thereafter, if required, carrying out one or more of the following optional steps:


- (i) converting a compound of formula (I) to a further compound of formula (I);
- (ii) removing any necessary protecting group;
- (iii) preparing a salt or solvate of the compound so formed.

18. (Original) A compound of formula (IIIBE)



wherein  $R^2$  and  $R^{10}$  are as defined for formula (I) in claim 1 and A is a protected amino group.

19. (Original) A compound of formula (IIIBR)



wherein  $R^2$  and  $R^{10}$  are as defined for formula (I) in claim 1 and A is a protected amino group.

20. (Original) A compound of formula (I) as defined in claim 1 or a physiologically acceptable salt or solvate thereof for use as an active therapeutic agent.

21. (Currently amended) A compound of formula (I) as defined in claim 1, or a physiologically acceptable salt or solvate thereof, for use in the treatment of inflammatory conditions, ~~e.g. asthma or rhinitis.~~

22. (Currently amended) A method of manufacture of a medicament for the treatment of inflammatory conditions comprising incorporating ~~Use of~~ a compound of formula (I) as defined in claim 1 or a physiologically acceptable salt or solvate thereof ~~for the manufacture of a~~ in said medicament ~~for the treatment of inflammatory conditions, eg. asthma or rhinitis.~~

23. (Currently amended) A method for the treatment of a human or animal subject suffering from or susceptible to an inflammatory condition ~~e.g. asthma or~~

~~rhinitis~~, which method comprises administering an effective amount of a compound of formula (I) as defined in claim 1 or a physiologically acceptable salt or solvate thereof.

24. (Original) A pharmaceutical composition comprising a compound of formula (I) as defined in claim 1, or a physiologically acceptable salt or solvate thereof, and optionally one or more physiologically acceptable diluents or carriers.